



## ***Micro Commercial Components Corp.***

### **Products End of Life Notification**

**Issue date: Jan-1<sup>th</sup>-2009**

**Last Buy Date : N/A**

**Description and Purpose:**

**MCC has undergone a review of its core business and products , and determined to discontinue below products:**

<b>Discontinued Devices</b>	<b>Possible Replacements</b>
1N34A	N/A



Micro Commercial Components

Micro Commercial Components  
 20736 Marilla Street Chatsworth  
 CA 91311  
 Phone: (818) 701-4933  
 Fax: (818) 701-4939

# 1N34A

## Germanium Diode 65 Volt

### Features

- Low Leakage Current
- Low Junction Capacitance
- High Mechanical Strength
- Marking : Green cathode band
- Lead Free Finish/RoHS Compliant(Note 1) ("P" Suffix designates RoHS Compliant. See ordering information)

### Maximum Ratings


- Operating Temperature: -65°C to +75°C
- Storage Temperature: -65°C to +75°C

### Electrical Characteristics @ 25°C Unless Otherwise Specified

Peak Inverse Voltage	PIV	65V	$I_R=1.0mA$
Average Rectified Current	$I_o$	50mA	
Peak Forward Surge Current	$I_{FSM}$	500mA	8.3ms, half sine
Maximum Instantaneous Forward Voltage	$V_F$	1.00V	$I_{FM} = 5.0mA$ ; $T_J = 25^\circ C^*$
Maximum Reverse Current	$I_R$	30uA 500uA	$T_A = 25^\circ C$ $V_R=10V$ $V_R=50V$
Typical Junction Capacitance	$C_J$	0.8pF	Measured at 1.0MHz, $V_R=0V$

Notes:1.Lead in Glass Exemption Applied, see EU Directive Annex 5.  
 2.Pulse test: Pulse width 300 usec, Duty cycle 2%

DO-7



DIMENSIONS

DIM	INCHES		MM		NOTE
	MIN	MAX	MIN	MAX	
A	-----	.300	-----	7.62	
B	-----	.107	-----	2.72	∅
C	.018	.022	0.46	0.56	∅
D	1.000	-----	25.40	-----	



Micro Commercial Components

## Ordering Information

Device	Packing
(Part Number)-TP	Tape&Reel;5Kpcs/Reel

### \*\*\*IMPORTANT NOTICE\*\*\*

*Micro Commercial Components Corp.* reserves the right to make changes without further notice to any product herein to make corrections, modifications, enhancements, improvements, or other changes. *Micro Commercial Components Corp.* does not assume any liability arising out of the application or use of any product described herein; neither does it convey any license under its patent rights, nor the rights of others. The user of products in such applications shall assume all risks of such use and will agree to hold *Micro Commercial Components Corp.* and all the companies whose products are represented on our website, harmless against all damages.

### \*\*\*APPLICATIONS DISCLAIMER\*\*\*

Products offer by *Micro Commercial Components Corp.* are not intended for use in Medical, Aerospace or Military Applications.